



1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier:	SHEP 1107 PREMIUM GROUT	Supplier/Distributor Information:	19218 REDWOOD ROAD CLEVELAND, OH 44110 U.S.
Product code:	088 50	Contact person:	EH&S Department
Recommended use of the chemical and restriction on use:		Telephone:	216-531-9222
Recommended use:	Cement, Portland, chemicals.	Emergency telephone number:	1-800-424-9300 (US); 1-613-996-6666 (Canada)
Restrictions on use:	Not known.		
Manufacturer/Importer/	EUCLID CHEMICAL COMPANY		

2. HAZARDS IDENTIFICATION

Hazard Classification

Health hazards

Acute toxicity (inhalation - dust and mist)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitizer	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity - Single exposure	Category 3 ¹
Specific target organ toxicity - Repeated exposure	Category 1 ¹

Target Organs

- Respiratory tract irritation
- Lung

Unknown toxicity - Health

Acute toxicity, oral	91.31%
Acute toxicity, dermal	94.62%
Acute toxicity, inhalation, vapor	100%
Acute toxicity, inhalation, dust or mist	96.92%

Label Elements

Hazard pictograms:



Signal word: Danger

Hazard statement: Harmful if inhaled. Causes serious eye damage. May cause cancer. Causes damage to organs through prolonged or repeated exposure. Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation.

Precautionary statements:

Prevention: Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.

Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water/D If skin irritation or rash occurs: Get medical advice/attention. Immediately call a POISON CENTER/doctor/D Specific treatment (see this label). Wash contaminated clothing before reuse.

Storage: Store locked up. Store in well-ventilated place. Keep container tightly closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: None.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Chemical Identity	CAS number	Content in percent (%)*
Crystalline Silica (Quartz)/Silica Sand	14808-60-7	50 - <100%
Portland cement	65997-15-1	20 - <50%
Calcium salt	7778-18-9	1 - <5%
**	**	1 - <5%
Amorphous silica	7631-86-9	1 - <5%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Trade secret information: ** A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

- Ingestion:** Call a POISON CENTER/doctor/medical professional if you feel unwell. Rinse mouth.
- Inhalation:** Move to fresh air.
- Skin contact:** Get medical attention. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.
- Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.
- Most important symptoms and effects, acute and delayed:**
 - Symptoms:** Prolonged or repeated contact with skin may cause redness, itching, irritation and eczema/chapping. Extreme irritation of eyes and mucous membranes, including burning and tearing. Respiratory tract irritation.
- Indication of immediate medical attention and special treatment needed:**
 - Treatment:** Symptoms may be delayed.

5. FIRE-FIGHTING MEASURES

- General fire hazards:** No unusual fire or explosion hazards noted.
- Suitable (and unsuitable) extinguishing media:**
 - Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.
 - Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.
- Special hazards arising from the chemical:** During fire, gases hazardous to health may be formed.
- Special protective equipment and precautions for fire-fighters:**
 - Special fire-fighting procedures:** No data available.
 - Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures:** See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
- Methods and material for containment and cleaning up:** Collect spillage in containers, seal securely and deliver for disposal according to local regulations.



6. ACCIDENTAL RELEASE MEASURES (CONTINUED)

- Notification Procedures:** In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
- Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

7. HANDLING AND STORAGE

- Precautions for safe handling:** Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not get in eyes. Avoid contact with skin. Avoid contact with eyes, skin, and clothing.

- Conditions for safe storage, including any incompatibilities:** Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Crystalline Silica (Quartz)/Silica Sand - Respirable fraction.	TWA	0.025 mg/m ³	U.S. ACGIH Threshold Limit Values (2011)
Crystalline Silica (Quartz)/ Silica Sand - Respirable.	TWA	2.4 millions of particles per cubic foot of air	U.S. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.1 mg/m ³	U.S. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.5 mg/m ³	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)
	OSHA_AC T	0.025 mg/m ³	US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) (03 2016)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	PEL	0.05 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (03 2016)
Portland cement - Respirable fraction.	TWA	1 mg/m ³	US. ACGIH Threshold Limit Values (2011)
Portland cement - Total dust.	PEL	15 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Portland cement - Respirable fraction.	PEL	5 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Portland cement	TWA	50 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)



8. EXPOSURE CONTROLS/PERSONAL PROTECTION (CONTINUED)

Chemical Identity	Type	Exposure Limit Values	Source
Calcium salt - Respirable.	REL	5 mg/m ³	Respirable. US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Calcium salt - Total dust.	TWA	15 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Calcium salt - Respirable fraction.	TWA	5 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Calcium salt - Total dust.	TWA	15 mg/m ³	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Calcium salt - Respirable fraction.	TWA	5 mg/m ³	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Calcium salt	AN ESL	5 ug/m ³	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014)
	ST ESL	50 ug/m ³	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (03 2014)
Calcium salt - Inhalable fraction.	TWA	10 mg/m ³	US. ACGIH Threshold Limit Values (2011)
Calcium salt - Total dust.	PEL	15 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Calcium salt - Respirable fraction.	PEL	5 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Amorphous silica	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.8 mg/m ³	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.025 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Crystalline Silica (Quartz)/ Silica Sand - Respirable fraction.	TWA	0.10 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Crystalline Silica (Quartz)/ Silica Sand - Respirable dust.	TWA	0.1 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Portland cement - Total dust.	TWA	10 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Portland cement - Respirable fraction.	TWA	3 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Portland cement - Respirable fraction.	TWA	1 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Portland cement - Total dust.	TWA	10 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)



8. EXPOSURE CONTROLS/PERSONAL PROTECTION (CONTINUED)

Chemical Identity	Type	Exposure Limit Values	Source
Portland cement - Respirable dust.	TWA	5 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Calcium salt	TWA	10 mg/m ³	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Calcium salt - Inhalable	TWA	10 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Calcium salt - Inhalable fraction.	TWA	10 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Calcium salt - Total dust.	TWA	10 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Calcium salt - Respirable dust.	TWA	5 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Amorphous silica - Total	TWA	4 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Amorphous silica - Respirable.	TWA	1.5 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Amorphous silica - Respirable dust.	TWA	6 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)

Appropriate engineering controls: Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Eye/face protection: Wear a full-face respirator, if needed. Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection: Use suitable protective gloves if risk of skin contact.

Other: Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Respiratory protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not get in eyes. Wash contaminated clothing before reuse. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:		Flammability limit - lower (%):	No data available.
Physical state:	Solid.	Explosive limit - upper (%):	No data available.
Form:	Powder.	Explosive limit - lower (%):	No data available.
Color:	Gray.	Vapor pressure:	No data available.
Odor:	Odorless.	Vapor density:	No data available.
Odor threshold:	No data available.	Relative density:	3.45
pH:	No data available.	Solubility(ies)	
Melting point/freezing point:	No data available.	Solubility in water:	Miscible with water.
Initial boiling point & boiling range:	No data available.	Solubility (other):	No data available.
Flash point:	No data available.	Partition coefficient (n-octanol/water):	No data available.
Evaporation rate:	No data available.	Auto-ignition temperature:	No data available.
Flammability (solid, gas):	No.	Decomposition temperature:	No data available.
Upper/lower limit on flammability or explosive limits		Viscosity:	No data available.
Flammability limit - upper (%):	No data available.		

10. STABILITY/REACTIVITY

Reactivity:	No data available.
Chemical stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible materials:	No data available.
Hazardous decomposition products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Ingestion:

Inhalation:	In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin contact:	May be harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
Eye contact:	Causes serious eye damage.
Ingestion:	May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics:

Inhalation:	No data available.
Skin contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects:

Acute toxicity (list all possible routes of exposure)

Oral product:	ATEmix: 2,399.26 mg/kg
Dermal product:	ATEmix: 2,000.04 mg/kg
Inhalation product:	ATEmix: 1.9 mg/l
Repeated dose toxicity Product:	No data available.



11. TOXICOLOGICAL INFORMATION (CONTINUED)

Skin corrosion/irritation	
Product:	No data available.
Serious eye damage/eye	
Irritation product:	No data available.
Respiratory or skin sensitization	
Product:	No data available.
Carcinogenicity	
Product:	No data available.
IARC monographs on the evaluation of carcinogenic risks to humans:	
Crystalline silica (Quartz)/ silica sand:	Overall evaluation: Carcinogenic to humans.
U.S. National Toxicology Program (NTP) report on carcinogens:	
Crystalline silica (quartz)/ Silica sand:	Known To Be Human Carcinogen.
U.S. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):	
	Cancer.
Germ cell mutagenicity	
In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity	
Product:	No data available.
Specific target organ toxicity - Single exposure product:	No data available.
Specific target organ toxicity - Repeated exposure product:	No data available.
Target Organs	
Specific Target Organ Toxicity - Single Exposure:	Respiratory tract irritation.
Specific Target Organ Toxicity - Repeated Exposure:	Lung
Aspiration hazard	
Product:	No data available.
Other effects:	No data available.

12. ECOLOGICAL INFORMATION

Exotoxicity:	
Acute hazards to the aquatic environment:	
Fish product:	No data available.
Aquatic invertebrates	
Product:	No data available.
Chronic hazards to the aquatic environment:	
Fish product:	No data available.
Aquatic invertebrates	
Product:	No data available.
Toxicity to aquatic plants	
Product:	No data available.



12. ECOLOGICAL INFORMATION (CONTINUED)

Persistence and Degradability:

Biodegradation Product:	No data available.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration factor (BCF) product:	No data available.
Partition coefficient n-octanol/water (log kow) product:	No data available.
Mobility in soil:	No data available.
Other adverse effects:	No data available.

13. DISPOSAL CONSIDERATIONS

Disposal instructions:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Contaminated packaging:	No data available.

14. TRANSPORTATION INFORMATION

TDG:	Not regulated.
CRF/DOT:	Not regulated.
IMDG:	Not regulated.

15. REGULATORY INFORMATION

U.S. Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
None present or none present in regulated quantities.

U.S. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Chemical Identity	OSHA hazard(s)
Crystalline silica	kidney effects
(Quartz)/Silica Sand	lung effects
	immune system effects
	Cancer

CERCLA Hazardous Substance List (40 CFR 302.4):
None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)
Hazard categories

- Immediate (Acute) Health Hazards
- Delayed (Chronic) Health Hazard
- Acute toxicity
- Skin Corrosion/Irritation
- Serious Eye Damage/Eye Irritation
- Skin sensitizer
- Carcinogenicity
- Specific Target Organ Toxicity - Single Exposure
- Specific Target Organ Toxicity - Repeated Exposure

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Crystalline silica	
(Quartz)/silica sand	10,000 lbs.
Portland cement	10,000 lbs.
Calcium salt	10,000 lbs.
Trade secret	10,000 lbs.
Amorphous silica	10,000 lbs.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.



15. REGULATORY INFORMATION (CONTINUED)

U.S. State Regulations

U.S. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.
Crystalline Silica (Quartz)/ Carcinogenic. 09 2011
Silica Sand

U.S. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Crystalline silica (quartz)/silica sand
Portland cement
Calcium salt
Amorphous silica

U.S. Massachusetts RTK - Substance List

Chemical Identity

Crystalline silica (quartz)/silica sand
Portland cement
Calcium salt
Amorphous silica

U.S. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Crystalline silica (quartz)/silica sand
Portland cement
Calcium salt
Amorphous silica

U.S. Rhode Island RTK

Chemical Identity

Crystalline silica (quartz)/silica sand
Portland cement

International regulations

Montreal protocol

not applicable

Stockholm convention

not applicable

Rotterdam convention

not applicable

Kyoto protocol

not applicable

VOC:

Regulatory VOC (less water and exempt solvent): 0 g/l
VOC Method 310 : 0.00 %

Inventory Status:

Australia AICS:

All components in this product are listed on or exempt from the Inventory.

Canada DSL Inventory List:

All components in this product are listed on or exempt from the Inventory.

EINECS, ELINCS or NLP:

One or more components in this product are not listed on or exempt from the Inventory.

Japan (ENCS) List:

One or more components in this product are not listed on or exempt from the Inventory.

China Inv. Existing Chemical

Substances:

All components in this product are listed on or exempt from the Inventory.

Korea Existing Chemicals

Inv. (KECI):

All components in this product are listed on or exempt from the Inventory.

Canada NDSL Inventory:

One or more components in this product are not listed on or exempt from the Inventory.

Philippines PICGS:

One or more components in this product are not listed on or exempt from the Inventory.

U.S. TSCA Inventory:

All components in this product are listed on or exempt from the Inventory.

New Zealand Inventory of Chemicals:

All components in this product are listed on or exempt from the Inventory.

Japan ISHL Listing:

One or more components in this product are not listed on or exempt from the Inventory.

Japan Pharmacopoeia Listing:

One or more components in this product are not listed on or exempt from the Inventory.

16. OTHER INFORMATION

Revision Date: 06/23/2017

Version #: 4.0

Further Information: No data available.

Disclaimer: For industrial use only. Keep out of reach of children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.